

### **IN THE CLAIMS**

The claims are reproduced for the Examiner's convenience. No claims are amended.

1-24. (Cancelled)

25. (Previously presented) A method in a personalization system of processing data for a portable programmed data carrier comprising:

acquiring personalization data for a cardholder;

acquiring personalization equipment characteristics for particular personalization equipment;

creating instructions for an internal script from the personalization data; and

translating the internal script into a data stream in accordance with the personalization equipment characteristics.

26. (Previously presented) The method of claim 25, further comprising:

transferring the data stream to the particular personalization equipment to issue the data carrier.

27. (Previously presented) The method of claim 25, wherein creating the instructions comprises mapping the personalization data into a plurality of variables for the instructions.

28. (Previously presented) The method of claim 25, wherein translating the internal script into a data stream comprises translating the instructions into personalization equipment program commands specified by the personalization equipment characteristics.

29. (Previously presented) The method of claim 28, wherein the internal script specifies a sequence in which the program commands will be performed by the personalization equipment.

30. (Previously presented) The method of claim 27, further comprising acquiring information for a card application, and wherein at least one of the plurality of variables holds data for the card application.

31. (Previously presented) The method of claim 25, wherein the internal script includes instructions for a card operating system and further comprising:

- acquiring programming control commands for a card operating system; and
- translating the instructions for the card operating system into the programming control commands.

32. (Previously presented) The method of claim 31, wherein the internal script specifies a sequence in which the programming control commands will be executed by the card operating system.

33. (Previously presented) The method of claim 25, further comprising:

- acquiring a security function; and
- adding the security function to the internal script.

34. (Previously presented) The method of claim 25, wherein the instructions for the internal script are specified in a set of database records.

35. (Previously presented) A computer-readable medium having stored thereon instructions to cause a computer to perform a method to issue a portable programmable data carrier, the method comprising:

- determining if cardholder data is in an internal format;
- interpreting cardholder data into a internal format if it is not in the internal format;
- mapping the internal format of the cardholder data into a plurality of data fields used by a card application;
- creating a plurality of program commands for a particular personalization equipment using the data fields; and
- streaming the plurality of program commands to the particular personalization equipment to issue the portable programmable data carrier.

36. (Previously presented) The computer-readable medium of claim 35, wherein the plurality of program commands reference data defining a microprocessor chip structure.

37. (Previously presented) The computer-readable medium of claim 36, further comprising streaming programming control commands for a card operating system to the particular personalization equipment.

38. (Previously presented) A computer system comprising:  
a processing unit;  
a computer-readable medium communicatively coupled to the processing unit; and  
a smart card personalization system executing in the processing unit from the computer-readable medium, wherein the smart card personalization system causes the processing unit to acquire a smart card definition, a card application definition, program commands for a particular personalization equipment, and cardholder data, and further causes the processing unit to map the cardholder data into data fields specified by the card application definition to create a script, to interpret the script into the program commands using the smart card definition, and to transfer the program commands to the particular personalization equipment to issue a smart card.

39. (Previously presented) The computer system of claim 38, wherein the smart card personalization system further causes the processing unit to acquire a format definition and to translate the cardholder data into a format specified by the format definition.

40. (Previously presented) The computer system of claim 38, wherein the smart card personalization system further causes the processing unit to acquire a card operating system definition and to interpret the script into programming control commands specified by the card operating system definition.

41. (Previously presented) The computer system of claim 38, wherein the smart card personalization system further causes the processing unit to acquire a security function and to add the security function into the script.

42. (Previously presented) A computer-readable medium having stored thereon a smart card framework data structure comprising:

- a chip field containing data representing an identifier for a microprocessor in the smart card; and

- a master file field containing data representing information for the microprocessor identified by the chip field;

- a system file field containing data representing an address for a file in the microprocessor identified by the chip field; and

- an equipment field containing data representing an identifier for personalization equipment used by a personalization system to program the microprocessor identified by the chip field.

43. (Previously presented) The computer-readable medium of claim 42, further comprising:

- an application field containing data representing an identifier for an application to be programmed into the microprocessor identified by the chip field.

44. (Previously presented) The computer-readable medium of claim 43, further comprising:

- a security field containing data representing a security function for the application identified by the application field.